

Glider Observations of Upper Ocean Structure in the Bay of Bengal

Daniel L. Rudnick
Scripps Institution of Oceanography
University of California San Diego
Mail Code 0213
La Jolla, CA 92093-0213
Phone: (858) 534-7669 Fax: (858) 534-8045 Email: drudnick@ucsd.edu

Award Number: N00014-13-1-0483

<http://chowder.ucsd.edu>

<http://spray.ucsd.edu>

LONG-TERM GOALS

The Bay of Bengal (BoB) is remarkable in that its major currents change directions seasonally with the monsoons, in concert with extremely strong fluxes of fresh water from precipitation and river input. The overarching goal of the proposed effort is to quantify important processes in the fresh water budget of the BoB.

OBJECTIVES

The extreme fresh water input in the BoB poses challenges scientifically and technically, because of the existence of a fresh, light surface layer. We advance a program with two major objectives, one scientific, and one technical:

- Observe the evolution of upper ocean structure in the central Bay of Bengal
- Improve glider technology to overcome fresh, buoyant surface layers

APPROACH

We will use sustained deployments of Spray underwater gliders to resolve simultaneously vertical and submesoscale horizontal structure in the BoB. One glider will be deployed in November 2013 for a 6-month mission occupying a north/south section running the length of the central BoB.

WORK COMPLETED

Year 1 has been devoted to experiment planning. We have participated in several meetings devoted to planning a coherent, collaborative observational effort. The result of this planning has been to focus our glider observations on a long north/south section that crosses the strong salinity gradients in the region (Figure 1). This conclusion is based on analysis of an Argo climatology (Roemmich and Gilson 2009).

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2013		2. REPORT TYPE		3. DATES COVERED 00-00-2013 to 00-00-2013	
4. TITLE AND SUBTITLE Glider Observations of Upper Ocean Structure in the Bay of Bengal				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California, San Diego, Scripps Institution of Oceanography, 9500 Gilman Drive, San Diego, CA, 92093				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Engineering effort has been directed towards improving Spray glider behavior when encountering a buoyant surface layer. First, the glider to be used in the BoB was outfit with a larger bladder that allows for 20% more buoyancy change than our standard bladder. Second, we are developing smarter software to take appropriate actions in case the glider cannot reach the surface. These actions include pumping more oil to increase buoyancy, continuing to profile even without being able to communicate at the surface, and finally heading for a safe waypoint predetermined to be in less buoyant water. Testing of this software is active at this time, with deployment less than two months away.

RESULTS

Results of our analysis of Argo data point to the strength of the salinity gradient during the planned fall and winter months. Anticipated results from the glider mission will include observations of the submesoscale structure in that large-scale gradient.

IMPACT/APPLICATIONS

An anticipated impact of this work will include improved technology for buoyancy-driven platforms in a buoyant surface layer. All temperature and salinity data will be sent to NAVO in real time for assimilation into operational models.

REFERENCES

Roemmich, D. and J. Gilson, 2009: The 2004-2008 mean and annual cycle of temperature, salinity, and steric height in the global ocean from the Argo Program. *Progress in Oceanography*, **82**, 81-100, doi:10.1016/J.Pocean.2009.03.004.




Figure 1. *The annual cycle of salinity at 2.5 m from Argo. The strong north/south gradient in the fall and winter is the target of planned glider observations.*